








GINGER XL-T

*Big size recessed spotlight for installations
into drywall / wood panels.*

	CRI		lm	lm/w					
IP 67	70-90	8.4W	934lm	111lm/w	9/20/28/37/ OV	2700K ~ 6500K	Mono / RGBW	RAL / Anodize	70mm

GINGER XL is a line of spotlights designed with leading-edge technology. The series of spots includes various installation options with a custom design mounting system. The light output of the unit ranges from 860 to 1130 Lumen thanks to the Luxeon 7070 LED. Furthermore, the unit's dark-light design ensures pure light without glare.

GINGER XL has a smart design, incorporating a unique cooling method, and a concealed cable PG, to provide a slim cutout where its anodized color lends the final touch of an artist. The **GINGER XL** is also optional in RGBW.

Ginger XL T is a bigger size recessed spotlight for installations into drywall or wood panels. This line is ideal for illuminating facades and niches, spas and pool areas, landscape lighting and scenery, counters and shelves, indoor and outdoor use, at home and/or in the office.

Ginger XL T has a tilt angle of up to 35° in each direction.



OUTPUT

LED System	Luxeon 7070
Intensity	934 lumens @ full power CRI 80 3000K
Channel Range	1 / 4 Channels
Color Range	2200K / 2700K / 3000K / 3500K / 4000K / 5000K / 5700K / 6500K / RGBW
Optical System	9 / 20 / 30 / 40 / OVAL 42X20

ENVIRONMENTAL




Control	Constant current driver / 24V with Mini CC2CB
Input Voltage	12V/700mA
Consumption	8.4W
Max LED's	1 LED
Efficiency LM/W	111lm/w @ 3000K 80CRI @ 700mA
Connection	22AWG 2C concealed cable PG

PHYSICAL

IP Rating	IP 67
Working Temp.	-18°C ~ 40°C / 0°F ~ 104°F
Storage Temp.	-18°C ~ 60°C / 0°F ~ +140°F

PHYSICAL

Size	H106 * Ø84mm
Housing	Anodize Aluminum & powder coating



TECHNICAL SPECIFICATION